Response to Non-Final Office Action Atty. Docket: S-16

Application No.: 10/735,477

Page 2 of 7

CLAIM AMENDMENTS

IN THE CLAIMS:

This listing of the claims will replace all prior versions, and listing, of claims in the application or previous response to office action:

(Currently Amended) A method for treating an intervertebral disc comprising:
 advancing an access device into the disc, the access device comprising a needle;
 independently advancing at least one optic fiber through the access device and
 into a nucleus of the disc;

viewing an interior of the disc using one or more of the at least one optic fibers prior to treating the disc in order to verify a damage location and to assess a damage extent; withdrawing the at least one optic fiber from the access device; advancing a treatment device through the access device; and activating the treatment device to treat the disc.

- 2. (Currently Amended) The method of claim 1 further comprising advancing antihe access device into the disc to create a passageway into the disc with the access device.
- 3. (Original) The method of claim 2 where advancing the access device into the disc comprises separating layers of a fibrous outer portion of the disc to create a passageway into the disc with the access device.
 - 4. (Cancelled)
 - 5. (Cancelled)
 - 6. (Cancelled)
- 7. (Currently Amended) The method of claim 41, wherein further comprising withdrawing the treatment device from the access device and intermittently repeating said advancing of the at least one optic fiber and said viewing the interior of the disc are performed intermittently throughout said method following said activating the treatment device.
- 8. (Previously Presented) The method of claim 2, wherein advancing the access device comprises inserting the needle into at least a fibrous outer portion of the disc.

Response to Non-Final Office Action Atty. Docket: S-16

Application No.: 10/735,477

Page 3 of 7

9. (Cancelled)

- 10. (Currently Amended) The method of claim 41, wherein the treatment device includes at least one active electrode and a return electrode, wherein activating the treatment device comprises applying a high frequency voltage between the active and return electrodes.
- 11. (Original) The method of claim 10, further comprises using a conductive medium to form a current path between the active and return electrodes.
 - 12. (Cancelled)
- 13. (Original) The method of claim 11, where the conductive medium is the naturally occurring fluid within the disc.
- 14. (Currently Amended) The method of claim 41, wherein advancing the treatment device comprises advancing the treatment device into a nucleus pulposus of the disc.
- 15. (Currently Amended) The method of claim 41, wherein activating the treatment device comprises ablating tissue within the disc.
- 16. (Original) The method of claim 15, further comprising observing the effect of the ablating of tissue using the optic fiber.
- 17. (Original) The method of claim 16, wherein observing the effect comprises measuring a void created by the ablating of tissue.
- 18. (Original) The method of claim 16, wherein observing the effect comprises observing an outer portion of the disc.
- 19. (Currently Amended) The method of claim 41, wherein activating the treatment device comprises coagulating tissue within the disc.
- 20. (Original) The method of claim 19, further comprising observing the effect of the coagulating of tissue using the optic fiber.
- 21. (Original) The method of claim 20, wherein observing the effect comprises measuring shrinkage of tissue resulting from the coagulating of tissue.
- 22. (Original) The method of claim 20, wherein observing the effect comprises observing an outer portion of the disc.

Response to Non-Final Office Action

Atty. Docket: S-16

Application No.: 10/735,477

Page 4 of 7

23. (Currently Amended) The method of claim 41, further comprising performing non-invasive imaging prior to or during activating the treatment device.

- 24. (Cancelled)
- 25. (Cancelled)
- 26. (Original) The method of claim 1, where advancing the at least one optic fiber into the nucleus of the disc via the access device is performed during a percutaneous surgical procedure.